

Technical Specifications





Product Description

The **V3C** model is an automatic motorised-lift power point with Australian power sockets, USB A, USB C charging sockets and a wireless charging top. It is designed for the home and office. The built-in electric motor allows the unit to raise and lower automatically by pressing the button on the lid.

How to open: press and hold the top button *firmly with your thumb* for 3 seconds to 'wake up' the unit. Then, press this button again <u>once</u> to open or close the unit. The unit will automatically go to sleep after a few minutes. This helps to prevent accidental opening/closing when placing your mobile device on the top for charging.

Features



2x AU Power Sockets, 1x USB-A 1x USB-C (15w)

1.8m Cable with Fitted AU Plug

















Accidental Operation Protection: The unit is fitted with an automatic delay timer to prevent accidental activation of the motor. Press the button on the top of the unit for 2 seconds to enable the motorised ascent/descent of the unit. This function works to protect both children and animals.

Anti-pinch function: If the unit is obstructed during its descent, the anti-pinch function will reverse the direction of travel momentarily, and then pause all movement. The operation LED light will flash to indicate that the anti-pinch function has been activated. When the button at the top of the unit is pressed again, the unit will fully raise and return to normal operation.

Anti-collision function: If the unit encounters an obstruction during its expansion, the anti-collision function will activate and the unit will pause. To indicate that the anti obstruction function has activated, the LED will flash. Once the obstruction has been cleared, the unit can be returned to normal operation by pressing the button on the top of the unit once again.

One-touch design: The unit has been designed with simplicity and ease of use in mind. For this reason, all operations are controlled using a single button on the top of the unit.

Water-resistant design: IP54 In a closed state, this product is designed to prevent water ingress by preventing spillages from entering the product body and potentially leaking into the main sockets.

USB charging: The unit is equipped with USB charging sockets. This allows portable devices to be charged quickly and easily.

Technical Specifications	Electrical
Model: V3C	Cable Length: 1.8m (Single Power)
Country: Australia	Plug: AU Plug (XH022B)
Colour: Black Top, Black Shell, Black Outlets	Rated Voltage: 240v ~50Hz
Materials: PVC, ABS & Aluminium	Rated Current: 10A, 2400w Total
IP Waterproof Rating: IP54 (when closed)	Operating Temperature: 0 - 40 C, 32 - 104 F
Warranty: 24 months	USB Charger: (internal, built in)
Installation Hole Diameter: 95mm +/ 3mm	Input: 100-240V ~ 50/60Hz ; 0.5A Output: USB-A: 5V2A USB-C: 5V3A
Space Below Surface: 370mm from top	Wireless Charger: Qi 10W (Compatible with
Lifting Method: Motorised Lift - Single Touch Top	iPhone, Samsung, Android etc)
Available Stock: Ingleburn, NSW, Australia	
Outlets: 2x AU Power Sockets, 1x USB-A, 1x USB-C	
Individual Box Dimensions: $58.5 \times 17.3 \times 16.8 \text{cm}$	
Individual Box Weight (Gross): 2kg	

Other Options:	Model	Country	Features
	V3L	AU	Smaller Diameter, Black Colour
	V3CW	AU	White Colour

Installation

Step 1: Bench-top hole: drill a hole in your bench-top, with the diameter according to the product specifications.

Step 2: Unscrew the locking ring around the body of the unit, and remove it altogether.

Step 3: Place the unit inside the hole in your bench-top.

Step 4: Screw back the locking ring around the body of the unit - from the underside of the bench-top, and tighten it securely.


Step 5: Connect the unit to power by plugging it into a power outlet under the bench-top.

Safety Information

Install and use this product with care. Please read this instruction booklet thoroughly before installation and carefully follow all instructions.

Do not use this product for any purpose or in any configuration not explicitly specified in this user manual. We hereby disclaim any and all liability for injury or damage from incorrect assembly, mounting or usage of this

(1) Product body (2) Silicone pad (3) Worktop (4) Locking Ring



INSTALLATION DIAGRAM

